
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





WATER SUPPLY OUTLOOK FOR UTAH

FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS

UNITED STATES DEPARTMENT of AGRICULTURE...SOIL CONSERVATION SERVICE,

and

UTAH STATE DEPARTMENT OF NATURAL RESOURCES -- DIVISION OF WATER RIGHTS

In cooperation with U.S. Forest Service, Bureau of Reclamation, Utah Fish and Game Dept., Utah State University, U.S. National Park Service, U.S. Geological Survey; and other Federal, State, and private organizations.



TO RECIPIENTS OF WATER SUPPLY OUTLOOK REPORTS:

Most of the usable water in western states originates as mountain snowfall. This snowfall accumulates during the winter and spring, several months before the snow melts and appears as streamflow. Since the runoff from precipitation as snow is delayed, estimates of snowmelt runoff can be made well in advance of its occurrence. Streamflow forecasts published in this report are based principally on measurement of the water equivalent of the mountain snowpack.

Forecasts become more accurate as more of the data affecting runoff are measured. All forecasts assume that climatic factors during the remainder of the snow accumulation and melt season as they affect runoff will add to be an effective average. Early season forecasts are therefore subject to a greater change than those made on later dates.

The snow course measurement is obtained by sampling snow depth and water equivalent at surveyed and marked locations in mountain areas. A total of about ten samples are taken at each location. The average of these are reported as snow depth and water equivalent. These measurements are repeated in the same location near the same dates each year.

Snow surveys are made monthly or semi-monthly from January 1 through June 1 in most states. There are about 1400 snow courses in Western United States and in the Columbia Basin in British Columbia. In the near future, it is anticipated that automatic snow water equivalent sensing devices along with radio telemetry will provide a continuous record of snow water equivalent at key locations.

Detailed data on snow course and soil moisture measurements are presented in state and local reports. Other data or reservoir storage, summaries of precipitation, current streamflow, and soil moisture conditions at valley elevations are also included. The report for Western United States presents a broad picture of water supply outlook conditions, including selected streamflow forecasts, summary of snow accumulation to date, and storage in larger reservoirs.

Snow survey and soil moisture data for the period of record are published by the Soil Conservation Service by states about every five years. Data for the current year is summarized in a West-wide basic data summary and published about October 1 of each year.

PUBLISHED BY SOIL CONSERVATION SERVICE

D. A. WILLIAMS, Administrator

The Soil Conservation Service publishes reports following the principal snow survey dates from January 1 through June 1 in cooperation with state water administrators, agricultural experiment stations and others. Copies of the reports for Western United States and all state reports may be obtained from Soil Conservation Service, Western Regional Technical Service Center, Room 507, 701 N. W. Glisan, Portland, Oregon 97209.

Copies of state and local reports may also be obtained from state offices of the Soil Conservation Service in the following states:

| STATE | ADDRESS |
|--------------------|--|
| Alaska | P. O. Box "F", Palmer, Alaska 99645 |
| Arizona | 6029 Federal Building, Phoenix, Arizona 85205 |
| Colorado (N. Mex.) | 12417 Federal Building, Denver, Colorado 80202 |
| Idaho | P. O. Box 38, Boise, Idaho 83707 |
| Montana | P. O. Box 98, Bozeman, Montana 59715 |
| Nevada | P. O. Box 4850, Reno Nevada 89505 |
| Oregon | 1218 S. W. Washington St., Portland, Oregon 97205 |
| Utah | 4012 Federal Building, Salt Lake City, Utah 84111 |
| Washington | 360 Federal Office Building, Spokane, Washington 99201 |
| Wyoming | P. O. Box 340, Casper, Wyoming 82602 |

CONSERVATION OF WATE

PUBLISHED BY OTHER AGENCIES

Water Supply Outlook reports prepared by other agencies include a report for California by the Water Supply Forecast and Snow Surveys Unit, California Department of Water Resources, P. O. Box 388, Sacramento, California 95802 --- and for British Columbia by the Department of Lands, Forests and Water Resources, Water Resources Service, Parliament Building, Victoria, British Columbia

WATER SUPPLY OUTLOOK FOR UTAH

and FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS

Issued by

D.A. WILLIAMS

ADMINISTRATOR
SOIL CONSERVATION SERVICE
WASHINGTON, D.C.

Released by

A.R. SWANSON

STATE CONSERVATIONIST SOIL CONSERVATION SERVICE SALT LAKE CITY, UTAH

In Cooperation with

HUBERT C. LAMBERT

STATE ENGINEER
DIVISION OF WATER RIGHTS
UTAH STATE DEPT. OF NATURAL RESOURCES

Report prepared by

GREGORY L. PEARSON, Snow Survey Supervisor and


PAUL KEIL, Assistant Snow Survey Supervisor

SOIL CONSERVATION SERVICE SNOW SURVEY SECTION FEDERAL BLDG., ROOM 4012 SALT LAKE CITY UTAH 84111

PROSPECTIVE WATER SUPPLIES

Based on Snow Surveys Made on UTAH and BEAR RIVER WATERSHEDS







WATER SUPPLY OUTLOOK

WATER SUPPLY OUTLOOK

MARCH 5, 1968

The Little Bear river in Cache Valley still has the poorest outlook in the State for streamflow runoff, however, the forecast has increased from 53% to 66% of normal. Other Cache Valley and Rich county streams vary from about 70% to 100% of average. If a prolonged dry spell materializes during March or April, water shortages will occur on streams without reservoir storage capacity.

Water supply forecasts for eastern Utah and the Wasatch Front including Lost Creek and the Weber river remain about normal with a slight increase of from 2% to 7% of average. Central Utah forecasts vary from near normal in the Richfield area to increases of from 11% to 20% on the Muddy and San Rafael rivers.

Streams with headwaters at Cedar Breaks and Bryce Canyon still have excellent forecasts ranging from 116% to 161% of normal. These include the Virgin, Escalante, Paria and Sevier rivers.

April-July forecasted inflow to Flaming Gorge Reservoir dropped 1% to 80% of normal, while Lake Powell April-July inflow increased from 98% to 104% of their 1948-62 averages.

Reservoir storage, excluding Bear Lake, Utah Lake, and the Upper Colorado River Storage Projects, is 127% of normal or 56% of total reservoir capacity.

WATER SUPPLY OUTLOOK (continued)

RESERVOIR STORAGE (1,000 Ac. Ft.)

| BASIN or STREAM | RESERVOIR | USABLE | | RED (FIRST OF MONTH | | |
|-----------------|------------------|---------------------|-----------|---------------------|-------|--|
| 3,3 | | CAPACITY | THIS YEAR | LAST YEAR AVE | RAGE | |
| | GREAT BASIN | | | | | |
| Bear River | Bear Lake | 1421.0 | 1092.4 | 1076.4 | 894.3 | |
| | Woodruff Narrows | 26.5 | 26.0 | 17.5 | | |
| Beaver River | Rocky Ford | 23.3 | 16.8 | 8.6 | 12.5 | |
| _ittle Bear | Hyrum | 15.3 | 10.7 | 10.3 | 10.8 | |
| | Porcupine | 11.3 | 3.8 | 2.7 | | |
|)gden | Causey | 7.1 | 4.4 | 0.8 | | |
| | Pineview | 110.1 | 53.9 | 35.4 | 11.1 | |
| Provo | Deer Creek | 149.7 | 112.3 | 88.3 | 92.3 | |
| Sevier River | Gunnison | 18.2 | 17.6 | 6.7 | - | |
| | Otter Creek | 52.5 | 30.5 | 18.0 | 27.6 | |
| | Piute | 71.8 | 55.2 | 48.9 | 38.9 | |
| | Sevier Bridge | 236.0 | 83.0 | 68.5 | 108. | |
| Spanish Fork | Strawberry | 265.4 | 127.6 | 95.5 | 135.6 | |
| Jtah Lake | Utah Lake | *****883 . 9 | 746.2 | 653.8 | 587. | |
| Veber | East Canyon | 48.1 | 37.6 | 14.5 | 13. | |
| | Echo | 73.9 | 35.4 | 49.6 | 29. | |
| | Lost Creek | 20.0 | 9.9 | 0.0 | _ | |
| | Rockport | 60.9 | 44.6 | 14.2 | 17. | |
| | Willard Bay | 198.2 | 117.5 | 110.5 | _ | |
| | COLOR ADO R | IVER DRAINAGE | | | | |
| Ashley Creek | Steinaker | 33.3 | 27.8 | 23.5 | - | |
| Colorado | Blue Mesa | 940.8* | 353.8 | 372.5 | _ | |
| | Lake Powell | 27000.0% | 8201.0 | 7525.0 | | |
| Green | Flaming Gorge | 3789.0* | 2077.9 | 2096.0 | - | |
| _ake_Fork | Moon Lake | 35.8 | 23.0 | 16.0 | 14.6 | |
| Price River | Scofield | 65.8 | 46.7 | 37.8 | 19. | |
| San Rafael | Joes Valley | 54.6 | 17.8 | 2.5 | - | |
| San Juan | Navajo | 1709.0* | 588.0 | 374.3 | - | |

^{** -} Average for 1957-62 inclusive ** - Taken at compromise point

All data contained in this table supplied by the U.S. Geological Survey.

⁽a) 1948-62 average. (b) Active capacity taken at 3.1 feet above compromise point. (c) Partly estimated.

^(*) Total capacity reported.

UTAH STREAMFLOW FORECASTS a (1,000 Ac. Ft.)

| FORECAST POINT | FORECAST THIS YEAR | THIS YEAR AS PERCENT OF AVERAGE | FORECAST PERIOD | LAST YEAR | AVERAGE b |
|--|--|---|---|--|---|
| | | | | | |
| BEAR RIVER SYSTEM | | | | | |
| Bear at Harer, Idaho Bear nr Randolph Bear nr Ut-Wyo State Line Bear nr Woodruff Big Crk nr Randolph, Utah Blacksmith Fork nr Hyrum Little Bear nr Paradise Logan nr Logan(1) Smith's Fork nr Border, Wyoming Woodruff Crk nr Woodruff, Utah | 250 80 110 105 6.3 46 25 110 110 | 97 85 96 90 73 73 66 83 102 71 | Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-June Apr-Sept Apr-Sept Apr-Sept | 159 180 . 73 51 151 134 | 258 94 115 117 8.6 63 38 133 112 |
| WEBER-OGDEN RIVERS | | | | | |
| Chalk Crk at Coalville East Canyon Crk nr Morgan(2) Lost Crk nr Croydon, Utah Pineview Reservoir Inflow(3) So. Fork Ogden nr Huntsville Rockport Reservoir Inflow(4) Weber nr Coalville(5) Weber nr Oakley | 35 25 13 82 51 108 118 99 | 97 98 72 71 82 92 92 99 | Apr-Sept Apr-Sept Apr-July Apr-Sept Apr-July Apr-Sept Apr-July Apr-Sept Apr-June Apr-Sept | 28.8 16 138 67 117 | 36 25.6 18.1 115 62 117 * 128 100 123 |
| PROVO RIVER & UTAH LAKE | | | | | |
| American Fork nr American Fork Hobble Crk nr Springville Payson Creek nr Payson Provo nr Hailstone(6) Provo below Deer Crk Dam(7) Spanish Fork at Thistle Strawberry Reservoir Inflow(8) Utah Lake Inflow | 34 21 7.3 105 128 39 49 275 | 103 100 100 96 95 97 98 | Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept | 43 | 33 21.2 7.3 109 135 40 50 282 |
| JORDAN RIVER & SALT LAKE | | | | | |
| Big Cottonwood nr SLC Little Cottonwood Crk nr SLC Parley's Crk nr SLC | 36 35 14 | 92 92 105 | Apr-Sept Apr-Sept Apr-Sept | 45 39 14.0 | 39 38 13.3 |

⁽¹⁾ Includes U.P.& L. Co. tailrace and Logan, Hyde Park & Smithfield Canal. (2) Observed flow plus change in storage in East Canyon Reservoir. (3) Inflow record as computed by U.S. Bureau of Reclamation. (4) Observed flow Weber River near Wanship, Utah, plus change in storage in Wanship Reservoir, plus diversion by Weber-Provo Canal. (5) Includes diversion by Weber-Provo Canal and change in storage in Wanship Reservoir. (6) Observed flow minus diversions thru Duchesne tunnel and Weber-Provo Canal. (7) Observed flow plus change in storage in Deer Creek reservoir, minus diversions thru Duchesne tunnel & Weber-Provo Canal. (8) Change in storage plus diversion thru Strawberry tunnel.

| HATU | STREAMFLO | W FORECASTS' | a (1,000 | Ac. Ft.) |
|------|-----------|--------------|----------------|----------|
|------|-----------|--------------|----------------|----------|

| FORECAST POINT | FORECAST THIS YEAR | THIS YEAR AS PERCENT OF AVERAGE | FORECAST PERIOD | LAST YEAR | AVERAGE b |
|---|-----------------------|---------------------------------------|----------------------|--------------|---------------|
| | | | | | |
| SEVIER RIVER | | | | | |
| Chalk Creek nr Fillmore | 17 | 102 | Apr-Sept | | 16.7 |
| Clear Crk nr Sevier(Abv.Div.) East Fork Sevier nr Kingston(9) | 1 <i>5</i> 23 | 116 146 | Apr-June Apr-June | | 12.9* 15.8 |
| | 27 | 1 36 | Apr-Sept | | 19.8 |
| Inflow Kingston to Vermillion Dam | 5 8 | 149 | Apr-June | | 39 |
| Vermillion Dam to Gunnison | 60 | 102 | Mar-June | | 59 |
| Salina Crk at Salina(10) | 11.5 | 139 | Apr-June | | 8.3* |
| Sevier nr Circleville Sevier nr Gunnison | 57 45 | 142 82 | Apr-Sept Apr-Sept | 42 | 40 * 55 |
| Sevier at Hatch | 47 | 147 | Apr-June | | 32 |
| Sovier on Vinceton | 64 36 | 142 | Apr-Sept | | 45 21.0 |
| Sevier nr Kingston | 41 | 171 161 | Apr-June Apr-Sept | | 25.5 |
| Sevier below Piute Dam(11) | 66 | 147 | Apr-Sept | | 45 |
| SAN PITCH RIVER | | | | | |
| Ephraim Creek nr Ephraim | 14.5 | 95 | Apr-Sept | | 15.2 |
| Pleasant Crk nr Mt. Pleasant | 9.6 | 99 | Apr-Sept | | 9.7* |
| Twin Crk nr Mt. Pleasant | 4.6 | 98 | Apr-Sept | | 4.7% |
| BEAVER RIVER | | | | | |
| Beaver nr Beaver | 18 | 100 | Apr-June | 18.1 | 18.0 |
| 2 1 5 1 2 (10) | 24 | 99 | Apr-Sept | 30 | 24.3 |
| Rockyford Reservoir Inflow(12) | 5 | 64 | Apr-June | | 7.8 |
| COAL CREEK | | | | | |
| Coal Crk nr Cedar City | 19 | 119 | Apr-Sept | | 16.0 |
| | COLORADO | RIVER BA | SIN | | |
| GREEN RIVER TRIBUTARIES IN UTAH | | | | | |
| FLAMING GORGE TO DUCHESNE RIVER | | | | | |
| Ashley Creek nr Vernal | 52 | 93 | Apr-Sept | | 56 |
| Henry's Fork at Linwood | 31 | 91 | Apr-Sept | | 34 |

⁽⁹⁾ Observed flow plus change in storage in Otter Creek Reservoir. (10) Gage is below diversions near Salina. (11) Observed flow plus change in storage in Otter Crk & Piute Reservoirs. (12) Observed flow at Rockyford Dam, corrected for change in storage in Rockyford Reservoir.

UTAH STREAMFLOW FORECASTS a (1,000 Ac. Ft.)

| AH STREAMFLOW FORECASTS a (1,000 Ac. Ft.) | | | | | | | |
|---|---|---|--|-------------------------------------|----------------------------|--|--|
| FORECAST POINT | FORECAST THIS YEAR | THIS YEAR AS PERCENT OF AVERAGE | FORECAST PERIOD | LAST YEAR | AVERAGE b | | |
| DUCHESNE RIVER | | | | | | | |
| Duchesne at Provo River (Trail nr Hanna) Duchesne nr Tabiona(13) Lakefork below Moon Lake(14) Rock Crk nr Mtn. Home Strawberry at Duchesne Uinta nr Neola Whiterocks nr Whiterocks Yellowstone nr Altonah | 34 110 65 93 72 95 63 67 | 97 96 90 91 100 100 100 | Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept | 99 145 94 | 35* 114 72 102 72 95 63 73 | | |
| PRICE RIVER | | | | | | | |
| Gooseberry Crk nr Scofield Price nr Heiner(15) Scofield Reservoir Inflow(15) | 11.9 62 37 | 100 91 100 | Apr-Sept Apr-Sept Apr-Sept | | 11.9 68 37 | | |
| SAN RAFAEL RIVER | | | | | | | |
| Cottonwood Crk nr Orangeville Ferron Crk nr Ferron Huntington Crk nr Huntington | 62 45 59 | 113 107 105 | Apr-Sept Apr-Sept Apr-Sept | 2 | 55 42 56 | | |
| MUDDY RIVER | | | | | | | |
| Muddy Creek nr Emery | 23 | 101 | Apr-Sept | | 22.8 | | |
| VIRGIN RIVER | | | | | | | |
| Virgin nr Virgin | 54 | 126 | Apr-June | | 43 | | |
| UPPER COLORADO BASIN | | | | | | | |
| Colorado nr Cisço, Utah(15) Flaming Gorge Inflow(3) Lake Powell Inflow(3) Green at Green River, Utah(15) San Juan nr Bluff, Utah(15) Navajo Reservoir Inflow | 4200 900 8000 3050 1285 720 | 111 80 104 91 110 | Apr-Sept Apr-July Apr-July Apr-Sept Apr-Sept Apr-July | 2241 1516 6045 3494 762 | 3368 | | |

GENERAL FOOTNOTES

⁽¹³⁾ Observed flow plus diversion through Duchesne Tunnel. (14) Observed flow plus change in storage in Moon Lake Reservoir. (15) Observed flow plus change in storage reservoir.

⁽a) Runoff forecasts are based principally on mountain snow cover and on the assumption that precipitation and temperature will be near average from the present time to the end of the forecast period. Appreciable deviations from normal of temperature and/or precipitation will correspondingly modify these forecasts. The discharge data is taken from preliminary records of the U.S. Geological Survey. (b) 1948-62, 15 year period. *Partly estimated.

PEAK FLOWS (Maximum Mean Daily) (Av. flow for 24 hrs. on doy of greatest flow)

| | PEAK FLOW (second feet) | | |
|--------------------------|-------------------------|---------------------------|--|
| FORECAST POINT | FORECAST RANGE | 15-YR. AVERAGE 1948-62 | |
| Beaver River near Beaver | 200 - 250 | 254 | |
| Clear Creek near Sevier | 165 ~ 210 | 163 | |
| Salina Creek near Salina | 225 ~ 275 | 190 | |
| Sevier at Hatch | 480 - 600 | 374 | |

LOW FLOW FORECASTS

| FORECAST POINT | DATE STREAMFLOW RECEDES TO LOW FLOW VALUE* | LOW FLOW VALUE | AVERAGE DATE OF LOW FLOW VALUE |
|---|--|---------------------------------------|--|
| Clear Creek nr Sevier(above div.) Salina Creek at Salina Sevier at Circleville(Circle Vall Sevier at Hatch(upper Panguitch V | June 15 ey) July 2 | 15 cfs 25 cfs 90 cfs 100 cfs | July 28 June 10 June 24 July 10 |

PRIMARY WATER RIGHTS (Percent of)

| RIVER SECTION | FORECAST THIS YEAR | AVERAGE DELIVERED DURINGIS YEARS 1948-62 | FORECAST PERIOD |
|---|-----------------------|--|--|
| Sevier River Below Vermillion Dam Circle Valley Panguitch Valley Sevier Valley | 65 82 100 59 | 58 66 84 40 | April-Sept. April-Sept April-Sept April-Sept |

OTHER SPECIAL FORECASTS

Sevier River

Kingston to Vermillion - Flow above 400 second feet - about 6,000 to 7,000 acre feet.

Below Vermillion - Flow above 360 second feet - about 2,000 to 3,000 acre feet.

Inflow to Sevier Bridge reservoir from October 1 to March 31 - is still expected to be about 30,000 acre feet short of meeting the 89,280 acre foot storage right.

| RIVER BASIN or TRIBUTARY WATERSHED | NO. of COURSES | THIS YEARS SNOW WATER | EXPRESSED AS PERCENT OF : |
|--|----------------|-----------------------|---------------------------|
| THE BASIS OF THIS PART WATER OFFE | AVERAGED | LAST YEAR | AVERAGE * |
| | GREAT BA | SIN | |
| Smithle Fork Room Diver (Wes) | | 4 | 77 |
| Smith's Fork - Bear River (Wyo) | 5 | 70 92 | 77 |
| Strawberry-Mink Creeks (Ida) | 3 2 | 92 87 | 91 86 |
| Cub River (Ida) | 5 | 81 | 83 |
| Logan River Blacksmith Fork-Little Bear | 5 5 | 109 | 99 |
| Malad River (Idaho) | 2 | 86 | 99 82 |
| | | | 83 |
| Ogden River Weber River above Echo Dam= | 5 8 | 95 96 | |
| Chalk Creek - Coalville | 3 | 90 | 93 92 |
| | 3 | 99 | 93 |
| East Canyon Creek Farmington Creek | 2 | 103 | 91 |
| Salt Lake Area | 4 | 99 | 95 |
| Tooele Area | 1 | 124 | 88 |
| American Fork River | 3 | 78 | 92 |
| Provo River above Deer Creek Dam | 5 | 89 | 94 |
| Strawberry Reservoir Valley | 3 | 85 | 97 |
| Spanish Fork River | 5 | 87 | 93 |
| Hobble Creek | 2 | 118 | 99 |
| Mt. Nebo Area | 2 | 91 | 89 |
| Sevier River above Panguitch | 5 | 170 | 116 |
| East Fork Sevier River | 6 | 195 | 128 |
| Clear Creek above Sevier | 1 | 102 | 98 |
| Salina Creek | 2 | 111 | 99 |
| Mt. Pleasant Area | 2 | 97 | 96 |
| Ephraim Creek | 2 | 99 | 90 |
| Mayfield Area | 2 | 119 | 91 |
| Chicken Creek - Levan | 1 | 110 | 100 |
| Chalk Creek - Fillmore | 2 | 138 | 109 |
| Beaver River | 3 | 150 | 94 |
| Parowan Creek | 2 | 182 | 114 |
| Coal Creek - Cedar City | 4 | 128 | 109 |
| Enterprise Reservoir | 1 | 817 | 158 |
| New Harmony - Pinto Drainages | 1 | 274 | 161 |
| | COLORADO RI | VER BASIN | |
| Duchesne River above Tabiona | 3 | 85 | 96 |
| Strawberry River | 4 | 88 | 106 |
| Lakefork River | 2 | 90 | 100 |
| Whiterocks-Uintah Rivers | 3 | 71 | 85 |
| Ashley Creek | 4 | 78 | 92 |
| Price River | 7 | 92 | 102 |
| San Rafael Tributaries | 4 | 113 | 112 |
| Fremont River | 4 | 153 | 120 |
| Escalante River | 3 | 209 | 119 |
| Virgin River | 4 | 181 | 118 |
| LaSal Mtns. near Moab | 2 | 237 | 1 20 |
| Blue Mtns. near Monticello | 2 | 195 | 142 |
| | | | |


COMPARISON of SNOW COVER

RIVER BASIN OF TRIBUTARY WATERSHED

NO. of COURSES
AVERAGED

NO. of COURSES
LAST YEAR
AVERAGE*

BEAR RIVER BASIN



INDEX

| | | | | ~ | | | |
|---|---|--|---|---|---|--|---|
| | NO. | STATE | NAME UPPER BEAR RIVER | SE C. (above Harer, Idaho) | TWP. | RGE. | ELEV. |
| 7 | 10G11 10J6 10G7 10J36p 10J7 10G12 10J35p 11H12P 10G10 10G6 10G8P 10J17P | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | Big Park Burts-Miller Ranch CCC Camp x Gold Hill Hayden Fork Kelly Ranger Station Lily Lake Monte Cristo R.S. Piney LaBarge x Poison Meadows x Salt River Summit x Stillwater Camp | 7 19 9 11 1 13 34 4 19 29 32 32 | 3N 29N 1N 1S 26N 2N 8N 29N 30N | 117W 10E 118W 9E 9E 118W 10E 4E 114W 116W 118W | 8,700 7,900 7,500 10,000 9,300 8,200 9,300 8,960 8,820 8,500 7,900 8,550 |
| | | | LOWER BEAR RIVER | (below Harer, Idaho) | | | |
| | 11H14M 11H37p 11H36p 11G11 11H38p 12H1p 11G12 11H39p 11G14a 11H13MP 12G4 11G6 11G7 11G8M 11H7MP 12H2p 11H40p 11G15a 11H1MP 11G13 11H26 11H25P 11H12P 11H6 12G3 11H5 11H5 11H5 11H5 11H5 11H27 11H28 11G9 11G10 11H3M 11H41p 11G4P | 000-00-0-0-000-0-00000 | Beaver Creek-Skunk Creek Bug Lake Bunchgrass Christensen Ranch Cinnamon Creek Clarkston Mtn. Cub River Ranger Station Deer Springs Dry Basin Dry Bread Pond Dry Creek Flat Emigrant Summit Emigration Canyon (mouth) Franklin Basin Garden City Summit Gibson Flat Herd Hollow Horseshoe Basin Klondike Narrows Liberty Springs Little Bear (lower) Little Bear (lupper) Monte Cristo R.S. Mt. Logan Oxford Mountain Slug Creek Divide Spring Hollow (lower) Spring Hollow (lower) Spring Hollow #1 Steep Hollow #2 Strawberry Creek Strawberry Mink Divide Tony Grove Ranger Station Trigara Springs Willow Flat | 22 18 5 27 5 29 5 34 30 19 31 21 24 1 35 24 4 31 10 7 15 22 3 3 32 15 26 35 7 9 9 14 | 8N 11N 13N 13S 14N 13S 12S 12S 14N 13S 14N 13S 14N 13S 14N 13S 14N 13S 14N 14N 14N 14N 14N 14N 14N 14N 14N 14N | 3E | 7,150 7,950 8,400 5,600 7,300 6,300 5,400 8,400 7,900 8,230 6,350 7,350 6,500 8,000 7,600 6,100 7,000 8,000 7,400 8,420 5,800 6,550 8,960 9,000 6,800 7,225 7,000 8,000 7,225 7,000 8,000 7,225 7,000 8,000 7,225 7,000 6,800 7,225 7,000 6,800 7,700 5,800 6,500 7,700 5,800 6,250 7,600 6,100 |

LEGEND

Numbering system (example)

| 10]/ | SNOW COURSE ONLY |
|--------|---|
| 10J7P | SNOW COURSE AND PRECIPITATION GAGE |
| 10J7M | SNOW COURSE AND SOIL MOISTURE STATION |
| 10J7A | SNOW COURSE AND AERIAL MARKER |
| 10J7MA | SNOW COURSE, SOIL MOISTURE STATION AND AERIAL MARKER |
| 10J7MP | SNOW COURSE, SOIL MOISTURE STATION AND PRECIPITATION GAGE |
| 10J7m | SOIL MOISTURE STATION ONLY |
| 10J7a | AERIAL MARKER ONLY |
| 10J7p | STORAGE PRECIPITATION GAGE ONLY |
| х | ADJACENT DRAINAGE |

BEAR RIVER BASIN


37

| UPPER BEAR RIVER (Above Harer, Idaho) | | | | | | | |
|--|---|--|---|--|--|---|--|
| Big Park x CCC Camp x Chalk Creek #1 x Chalk Creek #2 x Chalk Creek #3 x Kelly Ranger Station Monte Cristo R.S. Piney-LaBarge #2 Poison Meadows x Salt River Summit x Smith & Morehouse x Trial Lake x | 10G11 10G7 11J1 11J2 11J3 10G12 11H12 10G10 10G6 10G8 11J4 10J8 | 8700 7500 9100 8000 7500 8200 8960 8820 8500 7900 7600 9800 | 2/26 2/28 2/26 2/26 2/26 2/28 2/28 2/28 | 52 31 58 40 25 45 58 57 74 40 40 72 | 13.9 8.4 16.0 11.4 6.6 11.9 17.6 16.4 22.1 10.4 11.3 20.5 | 18.6 12.5 20.4 12.7 6.5 16.2 20.4 22.1 28.4 16.1 10.6 24.3 | 17.5* 10.4 19.2* 12.1* 6.7* 16.9* 21.5* 20.7* 24.4 13.3 11.7* 23.0* |
| LOWER BEAR RIVER (Below Harer, Idaho) | | | | | | | |
| Beaver Creek-Skunk Crk. Christensen Ranch Cub River R.S. Dry Bread Pond x Dry Creek Flat Emigration Canyon Emigrant Summit Garden City Summit Klondike Narrows Little Bear(lower) Little Bear(upper) Monte Cristo R.S. Oxford Mountain Slug Creek Divide Steep Hollow #1 Steep Hollow #2 Strawberry Creek Strawberry Mink Divide Tony Grove R.S. Willow Flat | 11H14 11G11 11G12 11H13 12G4 11G7 11G6 11H7 11H1 11H26 11H25 11H12 12G3 11G5 11H27 11H28 11G9 11G10 11H3 11G4 | 7150 5600 5400 8230 6350 6500 7700 7400 6100 6850 8960 6800 7225 8500 7700 5800 6250 6100 | 2/28 2/29 2/29 2/28 2/27 2/26 2/26 3/1 3/1 2/27 2/27 2/27 2/27 3/1 3/1 2/29 2/28 3/1 2/29 | 29 28 24 42 17 36 42 46 25 48 59 27 33 | 8.7 9.4 8.2 11.5 4.8 10.2 21.9 12.4 15.6 8.2 9.6 17.6 8.2 12.3 29.0 20.0 10.9 16.5 8.7 12.2 | 10.8 8.6 9.2 15.6 6.7 9.5 22.4 15.6 19.4 7.6 8.1 20.4 8.3 14.8 33.1 24.8 10.3 22.4 11.0 13.0 | 11.1* 9.0* 9.4* 16.0* 6.9* 16.8* 18.0* 8.6* 21.5* 8.7* 30.5* 11.1* 19.3* 11.4* 14.3* |

| DRAWACE DACIN | | CURRE | NT INFORMAT | ION | FROM APP | ROX. OCT. I T | O DATE |
|--|-----------|--------------------|--------------------------|----------------------|-----------|----------------------|-----------------------|
| DRAINAGE BASIN AND RAIN GAGE LOCATION | ELEVATION | DATE OF READING | MONTH'S PRECIPITATION | 1948 - 62 AVERAGE | THIS YEAR | 1948 - 62 AVERAGE | PERCENT OF AVERAGE |
| | | | | а | | a | |
| Chalk Creek #1 x | 9100 | 3/1 | 3.56 | ó | | | |
| Chalk Creek #2 x | 8000 | | No Report | | | 13.75 | |
| Chalk Creek #3 x | 7500 | 2/26 | 2.62 | 2.55 | 9.29 | 11.30 | 82 |
| Dry Bread Pond | 8230 | 2/28 | 4.6 | 4 3.90 | 13.02 | 17.85 | 73 |
| Garden City Summit | 7600 | 3/1 | 5.40 | 3.40 | 14.32 | 15.50 | 92 |
| Kelly R.S. | 8200 | | No Report | t | | | |
| Klondike Narrows | 7400 | | lo Report | | | 19.20 | |
| Little Bear(upper) | 6850 | N | lo Report | | | 15.80 | |
| Monte Cristo #2 | 8960 | 2/28 | 6.2 | - | | | |
| Sagebrush Flat x | 6300 | 2/28 | 3.4 | 3 2.45 | 8.18 | | - |
| Salt River Summit | 7900 | 2/28 | 2.90 | 3.20 | 9.25 | | |
| Tony Grove R.S.(SCS) | 6250 | 3/1 | 4.3 | 8 3.26 | | | |
| Trial Lake x | 9800 | 2/29 | 6.3 | - | 20.49 | 19.45 | 105 |
| Willow Flat | 6100 | 2/29 | 5.5 | 5 4.10 | 17.72 | 19.50 | 91 |

WEBER - OGDEN WATERSHEDS





INDEX

| NO. | STAT | E NAME | SEC. | TWP. | RGE. | ELEV. |
|---|------|--|--|--|--|---|
| | | OGDEN RIVER | | | | |
| 11H14M 11H8 11H9P 11H30P 11H35p 11H31 11H13MP 11H34p 11H42p 11H42P 11H10 11H10 | | Beaver Creek-Skunk Creek Ben Lomond Peak Ben Lomond (lower) Ben Lomond Trail Causey Dam Cutler Creek Dry Bread Pond Guilder's Peak Magpie Monte Cristo R.S. Mt. Ogden Sagebrush Flat Snow Basin | 22 3 1 2 34 3 19 21 29 3 5 21 32 | 8 N 7 N 7 N 7 N 8 N N 7 N N 8 N N 8 N N 8 N N 7 N 6 N N 7 N 6 N N 7 N 6 N 7 N 6 N 7 N 6 N 6 | 3E 1W 1W 3E 1W 4E 4E 3E 1E 3E 1E | 7,150 8,000 5,850 6,000 5,500 6,780 8,230 8,050 7,700 8,960 8,600 6,300 6,420 |
| | | WEBER RIVER | | | | |
| 11J24 11J1 11J2MP 11J3M 11J12P 11J11 11H44p 11J37p 11H43p 11H31 11J14 11H32P 11J15P 11J15P 11J38p 11J6 11J5 11J39p 11J6 11J5 11J39p 11J40p 11J16P 11J4P 10J8P | | Beaver Creek R.S. Chalk Creek #1 Chalk Creek #2 Chalk Creek #3 Farmington Canyon (lower) x Farmington Canyon (upper) x Francis Canyon Hardscrabble Hoodoo Knoll Horse Ridge Kilfore Creek Lamb's Canyon x Lost Creek Parley's Canyon Summit Porcupine Reddon Mine (lower) Reddon Mine (upper) Sergeant Lakes Shingle Mill Flat Silver Lake (Brighton) x Smith & Morehouse Trial Lake x | 28 4 17 & 20 7 14 26 29 16 22 1 20 19 27 9 & 10 22 1 17 15 35 25 5 | 25 1N 2N 2N 3N 5N 5N 6N 1S 2S 1S 2S 1S 2S 1S 2S | 7E 8E 8E 1E 6E 2E 4E 5E 5E 5E 6E 7E 7E 9E | 7,500 9,100 8,000 7,500 6,950 8,000 7,400 6,500 8,350 8,260 7,300 6,600 6,125 7,600 8,100 8,500 9,000 8,400 9,900 8,725 7,600 9,800 |

LEGEND

Numbering system (example)

| 10J7 | SNOW COURSE ONLY |
|--------|---|
| 10J7P | SNOW COURSE AND PRECIPITATION GAGE |
| 10J7M | SNOW COURSE AND SOIL MOISTURE STATION |
| 10J7A | SNOW COURSE AND AERIAL MARKER |
| 10J7MA | SNOW COURSE, SOIL MOISTURE STATION AND AERIAL MARKER |
| 10J7MP | SNOW COURSE, SOIL MOISTURE STATION AND PRECIPITATION GAGE |
| 10J7m | SOIL MOISTURE STATION ONLY |
| 10J7a | AERIAL MARKER ONLY |
| 10J7p | STORAGE PRECIPITATION GAGE ONLY |
| × | ADJACENT DRAINAGE |

| SNOW | | | CUR | RENT INFOR | MATION | PAST R | ECORD |
|-------------------------|--------|-----------|---------|------------|------------------|------------|--------------|
| DRAINAGE BASIN and SNOW | COURSE | | DATE OF | SNOW DEPTH | WATER CONTENT | WATER CONT | ENT (Inches) |
| NAME | NO. | ELEVATION | SURVEY | (Inches) | (Inches) | LAST YEAR | AVERAGE a |

WEBER-OGDEN WATERSHEDS

OGDEN RIVER

| Beaver Crk-Skunk Crk Ben Lomond(1ower) Ben Lomond Peak Ben Lomond Trail Cutler Creek Dry Bread Pond Horse Ridge Monte Cristo R.S. Sagebrush Flat | 11H14 11H9 11H8 11H30 11H31 11H13 11H12 11H12 | 7150 5850 8000 6000 6780 8230 8260 8960 6300 | 2/28 2/26 2/26 2/26 2/26 2/28 2/29 2/28 2/28 | 29 37 74 36 52 42 52 58 | 8.7 12.8 24.9 12.0 18.2 11.5 16.2 17.6 3.2 | 10.8 9.4 25.0 11.2 18.8 15.6 17.7 20.4 4.9 | 11.1* 13.0* 29.5* 15.0* 23.0* 16.0* 19.8* 21.5* 4.7* |
|---|---|--|--|--|---|---|--|
| WEBER RIVER | | | | | | | |
| Beaver Creek R.S. Chalk Creek #1 Chalk Creek #2 Chalk Creek #3 Farmington Canyon(lower) Farmington Canyon(upper) Horse Ridge Kilfore Creek Lamb's Canyon x Lost Creek Reservoir Parley's Canyon Smt. Redden Mine(lower) | 11 J24 11 J1 11 J2 11 J3 11 J12 11 J11 11 H21 11 H31 11 J14 11 H32 11 J15 11 J16 | 7500 9100 8000 7500 6950 8000 8260 7300 6600 6125 7500 8500 | 2/29 2/26 2/26 2/26 2/28 2/28 2/29 2/23 2/29 2/23 2/29 2/23 2/27 | 25 58 40 25 48 66 52 39 33 18 50 52 | 8.0 16.0 11.4 6.6 17.5 20.8 16.2 10.4 11.1 4.6 16.4 14.0 | 8.0 20.4 12.7 6.5 14.9 23.3 17.7 14.0 13.4 4.8 14.6 15.5 | 8.4* 19.2* 12.1* 6.7* 19.6* 22.3* 19.8* 13.3* 15.8* 15.9* |
| Redden Mine(upper) Silver Lake x Smith & Morehouse | 11J5 11J16 11J4 | 9000 8725 7600 | 2/27 3/1 2/28 | 57 61 40 | 15.6 20.8 11.3 | 17.1 20.4 10.6 | 17.3* 20.5 11.7* |
| Trial Lake x | 10J8 | 9800 | 2/29 | 72 | 20.5 | 24.3 | 23.0% |

| I REGITTATION DATA (Inches) | - | | | | FROM APPROX. OCT. I TO DATE | | | |
|-------------------------------|-----------------|-------------|------------------|---------|-----------------------------|--------------------|---------|--|
| DRAINAGE BASIN | CURRENT DATE OF | NT INFORMAT | ION 1948 - 62 | | | DATE PERCENT OF | | |
| AND RAIN GAGE LOCATION | ELEVATION | READING | PRECIPITATION | AVERAGE | THIS YEAR | AVERAGE | AVERAGE | |
| | | | | | | | _ | |
| | | | | | | | | |
| OGDEN RIVER | | | | | | | | |
| | | | | | | | | |
| Ben Lomond(lower) | 5850 | 2/26 | 7.1 | 3 4.85 | 22.36 | 21.15 | 106 | |
| Ben Lomond Trail | 6000 | 2/26 | 7.4 | 5.10 | 24.26 | 22.15 | 110 | |
| Causey Dam | 5500 | 2/28 | 3.2 | 2 2.30 | 8.09 | 11.15 | 73 | |
| Dry Bread Pond | 8230 | 2/28 | 4.6 | | | 17.85 | | |
| Horse Ridge | 8260 | 2/29 | | | 18.08 | | | |
| Monte Cristo #2 x | 8960 | 2/28 | 6.2 | 21 5.20 | 19.16 | 23.30 | 82 | |
| Sagebrush Flat | 6300 | 2/28 | 3.4 | | | | 69 | |
| ougost ustration | | _/ | | | | | | |
| WEBER RIVER | | | | | | | | |
| WEDEN INTO CO. | | | | | | | | |
| Chalk Creek #1 | 9100 | 3/1 | 3.5 | 56 | | | | |
| Chalk Creek #2 | 8000 | ′ . | No Repor | | - ~ | 13.75 | | |
| Chalk Creek #3 | 7500 | 2/26 | 2.6 | _ | | | _ | |
| Farmington Guard Station | | 2/28 | 8.7 | | | 23.80 | 89 | |
| Farmington Rice | 7000 | 2/28 | 8. | | | _ | 3 | |
| Horse Ridge | 8260 | 2/29 | | - | 18.08 | | | |
| Lost Creek Reservoir | 6125 | 2/23 | | | 8.48 | | | |
| Parley's Canyon Smt. | 7500 | 2/28 | 5.9 | 98 4.05 | 17.52 | 17.55 | 100 | |
| Redden Mine(upper) | 9000 | 2/27 | - | | 17.54 | | | |
| Silver Lake (Brighton) x | 8725 | 2/29 | 7. | 21 5.05 | | | 88 | |
| Smith & Morehouse | 7600 | 2/28 | 4. | | | | | |
| Trial Lake x | 9800 | 2/29 | 6. | | - : - | | 105 | |

UTAH LAKE, JORDAN RIVER AND TOOELE VALLEY WATERSHEDS





INDEX

| NO. | STATE | NAME | SEC. | TWP. | RGE. | ELEV. |
|---|-------|--|--|---|---|--|
| | | PROVO RIVER & UTAH LA | KE | | | |
| 11J20 11K21 11K22P 11K23 11J23MP 11J17P 11J22P 11J31 11K1P 11J25P 11J19 11J18 11J18 11J18 11J18 | | Camp Altamont Clear Creek Ridge #1 Clear Creek Ridge #2 Clear Creek Ridge #3 Daniels-Strawberry Summit Dutchman R.S. East Portal Hobble Creek Summit Packard Canyon Payson R.S. Rock Bridge Soapstone R.S. South Fork R.S. Strawberry Divide Timpanogos Cave Camp Timpanogos Divide Trial Lake | 29 18 9 27 20 27 36 20 21 30 14 9 24 34 & 35 27 33 5 | 4S 11S 11S 10S 2S 3S 7S 7S 7S 10S 10S 3S 4S 7S 4S 2S | 3E 6E 6E 12W 3E 6E 5E 5E 2E 8E 2E 6E 2E 3E 9E | 7,300 9,200 8,000 6,600 8,000 7,560 7,420 6,400 8,050 6,750 7,800 6,100 8,000 5,500 8,140 9,800 |
| | | JORDAN RIVER & GREAT | SALT LAK | Ε | | |
| 12J2 12J5p 11J12P 11J11 11J14 12J3P 11J10 11J15P 12J1 11J16P 12K2P | | Bevan's Cabin Deseret Peak Farmington Canyon (lower) Farmington Canyon (upper) Lamb's Canyon Middle Canyon Mill D South Fork Parley's Canyon Summit x Rocky Basin–Settlement Canyon Silver Lake (Brighton) Vernon Creek | 24 15 14 26 19 8 18 9 & 10 30 35 21 | 45 45 3N 3N 15 45 25 15 45 25 105 | 4W 7W 1E 1E 3E 3W 3E 3E 3W 3E 3W 3E 5W | 6,450 9,250 6,950 8,000 6,600 7,000 7,400 7,600 8,900 8,725 7,500 |

LEGEND

Numbering system (example)

| 10}7 | SNOW COURSE ONLY |
|--------|---|
| 10J7P | SNOW COURSE AND PRECIPITATION GAGE |
| 10J7M | SNOW COURSE AND SOIL MOISTURE STATION |
| 10J7A | SNOW COURSE AND AERIAL MARKER |
| 10J7MA | SNOW COURSE, SOIL MOISTURE STATION AND AERIAL MARKER |
| 10J7MP | SNOW COURSE, SOIL MOISTURE STATION AND PRECIPITATION GAGE |
| 10J7m | SOIL MOISTURE STATION ONLY |
| 10]7a | AERIAL MARKER ONLY |
| 10J7p | STORAGE PRECIPITATION GAGE ONLY |
| ж | ADJACENT DRAINAGE |

| SNOW | | | CUF | RENT INFOR | MATION | PAST RECORD |
|-------------------------|--------|-----------|---------|------------|------------------|------------------------|
| DRAINAGE BASIN and SNOW | COURSE | | DATE OF | SNOW DEPTH | WATER CONTENT | WATER CONTENT (Inches) |
| NAME | NO. | ELEVATION | SURVEY | (Inches) | (Inches) | LAST YEAR AVERAGE |

UTAH LAKE & JORDAN RIVER

| UT | ΑН | LAK | E |
|----|----|-----|---|
| | | | |

| OTAIT LAKE | | | | | | | |
|--|--|--|--|--|--|---|---|
| Beaver Creek R.S. x Camp Altamont Clear Creek Ridge #1 Clear Creek Ridge #2 Clear Creek Ridge #3 Daniels-Strawberry Smt. Dutchman R. S. East Portal Hobble Creek Summit Packard Canyon Payson R. S. Rock Bridge Soapstone R. S. South Fork R. S. Strawberry Divide Timpanogos Cave Camp Timpanogos Divide Trial Lake JORDAN RIVER & TOOELE VA | 11 J 24 11 J 20 11 K 21 11 K 22 11 K 23 11 J 23 11 J 17 11 J 17 11 J 22 11 J 31 11 K 1 11 K 2 11 J 19 11 J 18 11 J 18 11 J 18 11 J 18 11 J 18 | 7500 7300 9200 8000 6600 8000 7500 7560 7300 6400 8050 6750 7800 6100 8000 5500 8140 9800 | 2/29 2/27 2/23 2/23 2/28 2/27 2/29 2/26 2/26 2/28 2/28 2/28 2/29 2/25 2/29 2/25 2/29 | 25 42 48 40 25 40 47 39 30 44 20 40 54 60 72 | 8.0 14.0 13.4 11.0 7.7 13.1 15.6 10.8 12.2 9.5 14.8 9.3 11.7 8.0 16.3 2.4 20.9 20.5 | 8.0 19.0 17.8 13.2 8.1 17.3 18.0 12.0 11.6 7.2 16.1 10.2 12.3 9.5 18.6 5.1 28.6 24.3 | 8.4 14.9 15.5 12.2 6.9 13.4 17.1 10.6 12.4 9.6 15.7 11.0* 11.7* 6.2 17.7 3.3* 22.8 23.0* |
| Lamb's Canyon Middle Canyon-Tooele Mill D South Fork Parley's Canyon Smt. x Silver Lake Vernon Creek | 11J14 12J3 11J10 11J15 11J16 12K2 | 6600 7000 7400 7500 8725 7500 | 2/29 2/29 2/28 2/28 3/1 2/29 | 33 28 49 50 61 22 | 11.1 10.2 16.4 16.4 20.8 7.6 | 13.4 8.2 16.5 14.6 20.4 9.2 | 13.3* 11.6* 17.8* 15.8* 20.5* |

PRECIPITATION DATA (Inches)

| DRAINAGE BASIN | | CURRENT INFORMATION | | | FROM APPROX. OCT. I TO DATE | | | |
|---|---|--|--|--|---|--|--|--|
| AND RAIN GAGE LOCATION | ELEVATION | DATE OF READING | MONTH'S PRECIPITATION | 1948 - 62 AVERAGE | THIS YEAR | 1948 - 62 AVERAGE | PERCENT OF AVERAGE | |
| | | | | | | | | |
| | | | | а | | а | | |
| UTAH LAKE | | | | | | | | |
| Clear Creek Ridge #2 Daniels-Strawberry Smt. Dutchman R.S. East Portal Ridge Hobble Creek Smt. Payson R. S. Soapstone R. S. | 8000 8000 7500 7800 7 3 00 8050 7800 | 2/23 2/28 2/27 2/29 2/26 2/28 2/29 | 3.35 3.65 4.75 4.25 4.85 | 2.60 3.00 4.25 3.00 3.00 2.75 | 10.82 13.18 16.48 13.24 13.42 14.22 12.38 | 13.60 14.80 21.51 14.80 14.65 14.65 | 80 89 89 89 92 97 93 | |
| Timpanogos Divide | 8200 | 2/29 | 6.10 | 4.25 | 18.75 | 21.51 | 93 87 | |

CURRENT INFORMATION

6.33

3.90

20.49

FROM APPROX. OCT. I TO DATE

19.45

105


JORDAN RIVER & TOOELE VALLEY

Trial Lake

| Middle Canyon | 7000 | 2/29 | 3.09 | 2.30 | 12.29 | 13.60 | 90 |
|-----------------------|------|------|------|------|-------|-------|-----|
| Mt. Dell Dam | 5500 | 2/29 | 4.18 | 2.41 | 11.57 | 10.67 | 108 |
| Parley's Canyon Smt. | 7500 | 2/28 | 5.98 | 4.05 | 17.52 | 17.55 | 100 |
| Silver Lake(Brighton) | 8725 | 2/29 | 7.21 | 5.05 | 20.63 | 23.42 | 88 |
| Vernon Creek | 7500 | 2/29 | | | 10.15 | | |

2/29

9800



INDEX

| NO. | STATE | NAME | SEC. | TWP. | RGE. | ELEV. |
|--|--------|--|--|---|--|--|
| | | UPPER GREEN RIVER IN | UTAH (above | Duche | esne River | ·) |
| 9J11a 10J21P 10J22P 10J23a 10J4P 9J8 10J1 10J3 9J2 9J1P 10J2 9J7P 10J20A 9J12a | | Ashley Twin Lakes Black's Fork G.SEast Fork Black's Fork Junction Buck Pasture Hewinta G.S. Hickerson Park Hole-in-the-Rock Hole-in-the-Rock G.S. King's Cabin (lower) King's Cabin (upper) Middle Beaver Creek Spirit Lake Steel Creek Park Windy Park | 20 25 33 14 33 24 13 32 23 & 26 22 31 10 | 15 2N 3N 1N 3N 2N 2N 3N 1S 1S 1S 1N 2N 2N 3N 1S | 19E 12E 12E 11E 13E 17E 15E 16E 21E 21E 16E 17E 13E 20E | 10,500 9,300 8,925 9,700 9,500 9,100 9,150 8,300 8,600 8,730 8,550 10,300 9,900 9,400 |
| 10J27a 10J9 9J9a 11J32MP 11J23MP 11J7P 10J26a 10K1P 10J19 9J6P 10J15a 10J10P 10J11 10J12 9J5 9J3P 10J18P 10J25P | | Atwood Basin Brown Duck Lake Chepeta-Whiterocks Lakes Currant Creek Daniels-Strawberry Summit x East Portal x Five Point Lake Indian Canyon Jackson Park Julius Park Lakefork Basin Lakefork Mountain Lakefork Mountain #2 Lakefork Mountain #3 Mosby Mountain Paradise Park Rock Creek Soapstone R.S. x | 21 2 3 31 20 36 28 2 23 20 13 2 & 3 17 29 27 7 21 9 | 15 2N 15 15 2S 7S 4N 11S 3N 4N 2N 2N 2S 3N 2N 2S 3N 2D 3D 3D 3D 3D 3D 3D 3D 3D 3D 3D 3D 3D 3D | 15E 6W 17E 10W 12W 6E 5W 10E 4W 1E 7W 5W 4W 4W 18E 1E 7W 8E | 10,250 10,300 10,300 7,800 8,000 7,560 11,000 9,100 11,300 9,800 11,100 10,200 8,900 8,100 9,500 10,100 7,900 7,800 |
| 11J8 10J8P 10K2MP | U U | Strawberry Divide x Trial Lake x White River #1 x | 34 & 35 5 11 | 7S 2S 10S | 6E 9E 8E | 8,000 9,800 8,550 |

LEGEND

Numbering system (example)

| 10J7 10J7P | SNOW COURSE ONLY SNOW COURSE AND PRECIPITATION GAGE |
|---------------|---|
| - | |
| 10J7M | SNOW COURSE AND SOIL MOISTURE STATION |
| 10J7A | SNOW COURSE AND AERIAL MARKER |
| I0J7MA | SNOW COURSE, SOIL MOISTURE STATION AND AERIAL MARKER |
| 10J7MP | SNOW COURSE, SOIL MOISTURE STATION AND PRECIPITATION GAGE |
| 10J7m | SOIL MOISTURE STATION ONLY |
| 10J7a | AERIAL MARKER ONLY |
| 10J7p | STORAGE PRECIPITATION GAGE ONLY |
| × | AD JACENT DRAINAGE |

| SNOW | | | CUF | RENT INFOR | MATION | PAST F | RECORD |
|-------------------------|--------|-----------|---------|------------|---------|------------|---------------|
| DRAINAGE BASIN and SNOW | COURSE | | DATE OF | SNOW DEPTH | WATER | WATER CONT | TENT (Inches) |
| NAME | NO. | ELEVATION | SURVEY | (Inches) | CONTENT | LAST YEAR | AVERAGE a |


UINTAH BASIN & DAGGETT SCD's

UINTAH BASIN SCD

| Daniels-Strawberry Smt.x 11J23 East Portal x 11J7 Indian Canyon 10K1 Julius Park 9J6 King's Cabin(lower) 9J1 Lakefork Mountain 10J10 Lakefork Mountain #2 10J11 Lakefork Mountain #3 10J12 Mosby Mountain 9J5 Paradise Park 9J3 Soapstone R. S. x 10J25 Strawberry Divide x 11J8 Trial Lake x 10J8 White River #1 10K2 | 8000 7560 9100 9800 8600 8730 10500 8900 8100 9500 10100 7800 8000 9800 8600 | 2/29 2/29 2/29 2/26 2/26 2/28 2/28 2/28 2/28 2/29 2/29 2/29 2/29 | 40 36 48 39 32 37 41 38 36 41 54 746 | 13.1 10.8 12.7 9.9 8.1 9.1 10.1 7.2 6.6 8.1 8.8 11.7 16.3 20.5 12.2 | 17.3 12.0 12.7 14.0 9.3 10.9 10.7 8.4 6.7 10.9 12.7 12.3 18.6 24.3 14.4 | 13.4 10.6 10.2 11.7* 8.2* 9.4* 10.1* 7.1* 5.9* 9.2* 10.6* 11.7 17.7 23.0* 12.2 |
|--|--|--|---|---|---|--|
| Black's Fork Jct. 10J22 East Fk.Black's Fork G.S.10J21 Hewinta Guard Station 10J4 Hickerson Park 9J8 Spirit Lake 9J7 Steel Creek Park 10J20 | 8925 9300 9500 9100 10300 9900 | 2/20 2/20 2/21 2/27 2/27 2/21 | 30 28 31 20 38 44 | 6.7 6.0 6.7 4.1 9.1 | 7.4 7.9 7.1 3.8 9.6 13.0 | 7.7* 7.9* 7.5* 6.1* 11.3* |

| DRAINAGE BASIN | | CURRENT INFORMATION | | | FROM APPROX. OCT. I TO DATE | | |
|---|--|--|--|--|--|---|---|
| AND RAIN GAGE LOCATION | ELEVATION | DATE OF READING | MONTH'S PRECIPITATION | 1948 - 62 AVERAGE | THIS YEAR | 1948 - 62 AVERAGE | PERCENT OF AVERAGE |
| UINTAH BASIN SCD | | | | a | | а | |
| Daniels-Strawberry Smt.x East Portal Ridge x Grizzly Ridge Indian Canyon Julius Park King's Cabin(upper) Lakefork Mountain Moon Lake Paradise Park Soapstone R.S. x Trial Lake x White River #1 DAGGETT SCD | 8000 7800 8500 9100 9800 8730 10500 8150 10100 7800 9800 8600 | 2/26 2/28 2/29 | 3.65 4.75 2.15 4.07 Report 2.60 1.25 Report 4.85 6.33 | 3.00 2.55 2.50 2.50 1.19 2.65 2.75 | 13.18 13.24 9.38 11.41 9.71 8.97 5.35 12.38 20.49 11.14 | 14.80 12.70 12.25 10.75 11.65 7.11 13.15 13.25 | 89 89 90 90 77 75 93 105 83 |
| Black's Fork Jct. Burnt Creek East Fk.Black's Fk. G.S. Hewinta Guard Station Hickerson Park Spirit Lake Steel Creek Park | 8925 7900 9300 9500 9100 10300 9900 | 2/20 2/27 2/20 2/21 2/26 2/27 No R | 1.28 Report | | 7.84 6.05 8.06 8.95 6.84 10.94 | 8.20 8.30 8.70 | 96 97 103 104 |

CARBON, EMERY, WAYNE, GRAND AND SAN JUAN COUNTIES



INDEX

| NO. | STATE | NAME | SEC. | TWP. | RGE. | ELEV. |
|---|-------------|--|--|--|--|---|
| | | PRICE RIVER | | | | |
| 10K5M 11K8 11K4P 10K3M 11K5 10K1P 11K7 11K3MP | טטטטטטטט | Corral Dry Valley Divide Gooseberry Reservoir Grassy Trail Creek-Left Fork Huntington-Horseshoe Indian Canyon x Jones Ranch Mammoth R.S | 32 20 25 2 12 2 32 | 13S 12S 13S 14S 14S 11S 12S | 14E 8E 5E 13E 5E 10E 7E | 8,200 7,800 8,700 7,970 9,800 9,100 7,600 |
| 11K33MF 10K6 10K2MP 11K24 11K25 | | Cottonwood Creek x Mud Creek Timberline White River #1 White River #2 White River #3 | 13 & 23 4 28 11 9 30 | 13S 14S 13S 10S 10S | 5E 7E 13E 8E 8E 8E | 8,800 8,300 9,100 8,550 7,600 7,400 |
| | | SAN RAFAEL RIVER | | | | |
| 11K31P 11K4P 11K5 11K28P 11K38 11K9 11K27P 11K26 11K29 11K29 | טטטטטטטטטטט | Buck Flat Gooseberry Reservoir Huntington-Horseshoe Red Pine Ridge Rush Pond Seeley Creek R.S. Stuart R.S. Switchback Upper Joe's Valley Wrigley Creek | 23 25 12 5 24 25 8 & 9 14 21 27 | 19S 13S 14S 16S 19S 17S 15S 14S 16S 19S | 4E 5E 5E 6E 4E 7E 6E 6E 5E | 9,400 8,700 9,800 9,400 9,800 10,000 7,950 8,600 8,800 9,000 |
| | | MUDDY RIVER | | | | |
| 11K14 11K15 | U | Black's Fork Dill's Camp | 34 27 | 20S 20S | 4E 4E | 9,200 9,200 |
| | | FREMONT RIVER | | | | |
| 11L4P 11L5 11L3 11L6 | U U U | Black's Flat-U.M. Creek Donkey Reservoir Fish Lake Johnson Valley | 33 9 35 24 | 24S 30S 26S 25S | 3E 4E 1E 2E | 9,250 9,800 8,700 8,850 |
| | | SOUTHEASTERN UTAH | DRAINAGES | | | |
| 9M1P 9M2P 9L1 9L2P | U U U | Buckboard Flat Camp Jackson LaSal Mountain LaSal Mountain (upper) | 36 22 5 3 | 33S 34S 27S 27S | 22E 22E 24E 24E | 9,000 8,600 8,800 9,400 |

LEGEND

Numbering system (example)

| 10]7 | SNOW COURSE ONLY |
|----------|---|
| 10J7P | SNOW COURSE AND PRECIPITATION GAGE |
| 10 J7M | SNOW COURSE AND SOIL MOISTURE STATION |
| 10J7A | SNOW COURSE AND AERIAL MARKER |
| I0J7MA | SNOW COURSE, SOIL MOISTURE STATION AND AERIAL MARKER |
| 10J7MP | SNOW COURSE, SOIL MOISTURE STATION AND PRECIPITATION GAGE |
| 10 J 7 m | SOIL MOISTURE STATION ONLY |
| 10]7a | AERIAL MARKER ONLY |
| 10J7p | STORAGE PRECIPITATION GAGE ONLY |
| × | AD JACENT DRAINAGE |

CARBON, EMERY, WAYNE, GRAND & SAN JUAN COUNTIES

PRICE RIVER 10K5 2/28 Corral 8200 31 9.0 10.0 7.6% 11K8 7800 12.7 Dry Valley Divide 3/110.1 10.2% 35 16.7 Gooseberry Reservoir 11K4 8700 2/27 55 16.6 17.0% 2/29 11.8 8.5% Grassy Trail Crk-Left Fk. 10K3 7970 32 9.0 10K1 2/29 48 12.7 Indian Canyon x 9100 12.7 10.2 7.0 Jones Ranch 11K7 7600 3/1 26 7.6 7.3% Mammoth R.S.-Ctnwd.Crk.x 11K3 8800 61 17.4 17.5% 2/27 16.6 Mud Creek #2 3/1 11K33 8300 38 10.8 13.5 11.3* 44 16.9 11.2* Timberline 10K6 9100 2/29 12.6 2/28 8600 14.4 12.2* White River #1 10K2 46 12.2 2/28 8.5% White River #2 11K24 7600 10.7 9.1 33 White River #3 11K25 7400 2/28 27 7.7 10.6 8.0% SAN RAFAEL RIVER 2/26 Buck Flat 11K31 9400 44 12.6 11.7 12.8% 2/27 8700 16.6 16.7 17.0% Gooseberry Reservoir 11K4 55 8800 2/27 16.6 17.4 17.5% Mammoth R.S.-Ctnwd. Crk.x 11K3 61 15.2 13.8% 12K28 9400 2/27 56 16.4 Red Pine Ridge 11K38 9800 2/26 41 11.4 10.0 11.6% Rush Pond 2/28 11.8 12.4% Seely Creek R.S. 10000 50 16.4 11K9 8800 11K29 2/27 36 9.4 9.3 7.9% Upper Joe's Valley 8.4 8.9% Wrigley Creek 11K32 9000 2/26 36 9.9 MUDDY RIVER Mt. Baldy R.S. x 11K12 9500 2/23 59 16.8 16.5 18.8* FREMONT RIVER Black's Flat-U.M. Creek 11L4 9250 2/26 36 7.6 8.3% 9.9 2/26 46 14.4% Farnsworth Lake x 1111 9900 13.2 13.7 Fish Lake 11L3 8700 3/1 35 10.3 5.2 6.6% 8850 4.3 Johnson Valley 11L6 2/26 28 7.1% 7.7 SOUTHEASTERN UTAH DRAINAGES 2/19 47 15.4 9000 7.2 11.4 %Buckboard Flat 9M1 8600 2/20 48 15.6 8.8 Camp Jackson 9M2 10.3% 9L1 8800 2/21 41 11.1 3.8 8.7% LaSal Mountain

2/21

55

16.1

8.9

14.4%


9600

9L2

LaSal Mountain(upper)

| DRAINAGE BASIN | | CURRENT INFORMATION | | | | FROM APPROX.OCT. I TO DATE | | | |
|---|--|---|--------------------------------------|----------------------|--|--|------------------------------------|--|--|
| AND RAIN GAGE LOCATION | ELEVATION | DATE OF READING | MONTH'S PRECIPITATION | 1948 - 62 AVERAGE | THIS YEAR | 1948 - 62 AVERAGE | PERCENT OF AVERAGE | | |
| PRICE RIVER | | | | a | | a | | | |
| Clear Creek Ridge #2 x Gooseberry Reservoir Indian Canyon Mammoth R.S. #2 Mud Creek White River #1 | 8000 8700 9100 8600 8300 8600 | 2/23 2/27 2/29 2/27 3/1 2/28 | 3.35 5.66 4.07 5.73 4.05 | 3.50 2.55 3.45 | 10.82 15.26 11.41 15.47 10.75 11.14 | 13.60 15.25 12.70 15.10 12.90 13.35 | 80 100 90 102 83 83 | | |
| SAN RAFAEL RIVER | | | | | | | | | |
| Buck Flat G.B.R.C. Meadows x Gooseberry Reservoir x Orange Olsen Red Pine Ridge | 9400 10000 8700 7300 9400 | 2/26 2/28 2/27 2/27 2/27 | 5.25 5.84 5.66 2.50 6.20 | 4.15 3.50 | 14.79 15.26 6.55 | 13.55 16.46 15.25 16.40 | 91 91 100 104 | | |
| FREMONT RIVER | | | | | | | | | |
| Black's Flat-U.M. Creek Farnsworth Lake x Fish Lake | 9250 9900 8700 | 2/26 2/26 2/26 | 3.73 | 3.90 1.20 | | 15.05 | 101 77 129 | | |
| SOUTHEASTERN UTAH DRAINAG | ES | | | | | | | | |
| Buckboard Flat Camp Jackson LaSal Mountain(upper) | 9000 8600 9600 | 2/19 2/20 2/21 | | | 15.55 13.80 14.05 | 17.25 13.60 16.40 | 90 101 86 | | |

SEVIER RIVER BASIN including BEAVER RIVER



INDEX

| | | | 1111 | 1141 | | | |
|---|-------------|---|--------------|---|---|--|---|
| NO. | STATE | NAME | | SEC. | TWP. | RGE. | ELEV. |
| | | UPPER SEVIER | RIVER | (South of Richfield, | Utah) | | |
| 12L7P 12L4P 12M8 12M13P 12M1P 12M4P 11L3 12M5 12L6P 12M6 12M2M 12M7P 12L5 11M1 11M2 11M3P 11M4P | | Big Flat x Box Creek Bryce Canyon Castle Valley Cedar Breaks Duck Creek R.S. Fish Lake x Harris Flat Kimberly Mine Long Valley Junction Midway Valley Panguitch Lake Squaw Springs Widtsoe-Escalante Widtsoe-Escalante Widtsoe R.S. | jummit 2 | 18 33 36 22 2 11 35 24 11 22 26 4 & 5 3 22 22 22 22 | 29S 26S 36S 37S 38S 26S 38S 27S 38S 37S 36S 27S 34S 34S 34S 34S 34S | 4W 2W 4W 8W 9W 8W 1E 7W 5W 6W 9W 7W 2W 1W 1W 1W | 10,290 9,800 8,000 9,700 10,390 8,560 8,700 7,700 9,100 7,500 9,800 8,200 9,300 9,500 9,500 9,500 7,600 |
| | | LOWER SEVIER | RIVER | (Including San Pita | h River) | | |
| 12L3 11K13P 11L1P 11K11P 11K10 11L2 11K4P 11K5 11K3MP 11K34 11K12P 11K2P 11K2P 12L1P 11K36 12L11P 11K35 | | Bear Canyon Beaver Dams Farnsworth Lake G.B.R.C. Headqua G.B.R.C. Meadows Gooseberry R.S. Gooseberry Reservoi Huntington-Horsesho Mammoth R.SCott Middle Fork Mt. Baldy R.S. Oak Creek Pine Creek Rees's Flat Shingle Mill Thistle Flat | ir x be x | 17 27 27 & 33 21 26 & 27 32 25 12 Creek 13 16 19 9 24 24 24 | 22S 19S 23S 17S 17S 23S 13S 14S 13S 18S 19S 17S 22S 15S 22S 18S | 3W 3E 2E 4E 4E 2E 5E 5E 5E 4E 4E 3W 4W 2E 3W 4E | 7,200 8,000 9,900 8,700 10,000 8,400 9,800 9,800 9,600 9,500 7,760 8,700 7,300 6,200 8,500 |
| | | BEAVER RIVER | | | | | |
| 12L7P 12L9P 12L8 | U U U | Big Flat Merchant's Valley Otter Lake | | 18 8 & 9 1 | 29S 29S 29S | 4W 5W 5W | 10,290 8,200 9,300 |

LEGEND

Numbering system (example)

| 10] 7 | SNOW COURSE ONLY |
|--------|---|
| 10J7P | SNOW COURSE AND PRECIPITATION GAGE |
| 10J7M | SNOW COURSE AND SOIL MOISTURE STATION |
| 10 J7A | SNOW COURSE AND AERIAL MARKER |
| 10J7MA | SNOW COURSE, SOIL MOISTURE STATION AND AERIAL MARKER |
| 10J7MP | SNOW COURSE, SOIL MOISTURE STATION AND PRECIPITATION GAGE |
| 10J7m | SOIL MOISTURE STATION ONLY |
| 10J7a | AERIAL MARKER ONLY |
| 10J7p | STORAGE PRECIPITATION GAGE ONLY |
| × | ADJACENT DRAINAGE |

SEVIER RIVER BASIN INCLUDING BEAVER RIVER

| UPPER | SEVI | ER | RIVER | |
|--------|------|----|----------|-------|
| (South | of | Ri | chfield, | Utah) |

| Big Flat x Box Creek | 12L7 12L4 | 10290 9800 | 2/26 2/27 | 48 44 | 12.5 | 14.5 11.4 | 15.0% 10.2% |
|-------------------------|--------------|---------------|--------------|----------|------|--------------|----------------|
| Bryce Canyon | 12M8 | 8000 | 2/28 | 27 | 7.0 | 2.8 | 4.9* |
| Castle Valley | 12M13 | 9700 | 2/29 | 45 | 13.6 | 8.6 | 12.0% |
| Cedar Breaks | 12M1 | 10390 | 2/26 | 54 | 17.9 | 17.3 | 17.7% |
| Duck Creek R. S. | 12M4 | 8560 | 2/29 | 46 | 16.3 | 7.1 | 12.8% |
| Fish Lake x | 11L3 | 8700 | 3/1 | 35 | 10.3 | 5.2 | 6.6% |
| Harris Flat | 12M5 | 7700 | 2/29 | 31 | 10.6 | 4.3 | 7.9% |
| Kimberly Mine | 12L6 | 8900 | 3/1 | 46 | 12.4 | 12.2 | 12.6% |
| Long Valley Jct. x | 12M6 | 7500 | 2/29 | 18 | 6.5 | 2.0 | 4.0% |
| Midway Valley | 12M2 | 9800 | 2/26 | 61 | 20.2 | 17.3 | 19.3* |
| Panguitch Lake | 1 2M7 | 8200 | 2/29 | 21 | 6.1 | 2.1 | 4.1% |
| Squaw Springs | 12L5 | 9300 | 2/27 | 31 | 7.5 | 5.2 | 5.9% |
| Widtsoe-Escalante Smt. | 11M1 | 9500 | 2/28 | 33 | 9.8 | 3.9 | 6.8 |
| Widtsoe-Escalante #2 | 11M2 | 9500 | 2/28 | 35 | 9.5 | 5.2 | 9.0% |
| Widtsoe-Escalante #3 | 11M3 | 9500 | 2/28 | 44 | 12.5 | 6.5 | 11.6* |

LOWER SEVIER RIVER


(Including San Pitch River)

| Beaver Dams Farnsworth Lake G.B.R.C. Headquarters G.B.R.C. Meadows Gooseberry R. S. Gooseberry Reservoir x Mammoth R.SCtnwd. Crk. Mt. Baldy R.S. Pine Creek Rees' Flat Shingle Mill | 11K13 11L1 11K10 11L2 11K4 11K3 11K12 12L1 11K36 12L11 | 8000 9900 8700 10000 8400 8700 8800 9500 8700 7300 6200 | 2/23 2/26 2/28 2/28 2/26 2/27 2/27 2/23 2/28 2/21 2/29 | 35 46 48 62 31 55 61 59 45 32 24 | 10.1 13.7 13.2 17.7 9.7 16.6 16.6 16.8 13.4 9.8 8.6 | 7.4 13.2 13.0 18.5 8.2 16.7 17.4 16.5 10.3 8.9 5.9 | 10.7* 14.4* 14.1* 20.5* 9.4* 17.0* 17.5* 18.8* 12.5* 9.8* 7.7* |
|---|---|---|--|--|---|--|--|
| BEAVER RIVER | | | | | | | |
| Big Flat Merchant's Valley Otter Lake | 12L7 12L9 12L8 | 10290 8200 9300 | 2/26 2/26 2/26 | 48 34 44 | 12.5 9.4 11.6 | 14.5 3.9 9.3 | 15.0* 8.5* 13.0* |


| DRAINAGE BASIN | | CURRENT INFORMATION | | | FROM APPROX. OCT. I TO DATE | | |
|------------------------|-----------|---------------------|--------------------------|----------------------|-----------------------------|----------------------|-----------|
| AND RAIN GAGE LOCATION | ELEVATION | DATE OF READING | MONTH'S PRECIPITATION | 1948 - 62 AVERAGE | THIS YEAR | 1948 - 62 AVERAGE | PERCENT (|
| | | | | a | | а | |
| eaver Dams | 8000 | 2/23 | | 3.10 | 10.42 | 12.05 | 8 |
| ig Flat | 10290 | 2/26 | 4.85 | 3.65 | 12.51 | 14.85 | |
| ox Creek | 9800 | 2/27 | | | 11.08 | 10.55 | 1 |
| astle Valley | 9700 | 2/29 | | | 13.42 | 13.60 | |
| edar Breaks | 10390 | 2/26 | | 4.25 | 14.61 | 17.80 | |
| uck Creek R.S. | 8560 | 2/29 | 4.30 | 3.7 <i>5</i> | 16.10 | 15.75 | 1 |
| arnsworth Lake | 9900 | 2/26 | 3.73 | 3.90 | 11.57 | 15.05 | |
| ish Lake | 8700 | 2/26 | | 1.20 | 7.76 | 6.00 | 1 |
| .B.R.C. Headquarters | 8700 | 2/28 | 4.67 | 3.74a | 12.30 | 14.90a | a |
| .B.R.C. Meadows | 10000 | 2/28 | 5.84 | 4.15a | 14.79 | 16.46 | e e |
| i.B.R.C. Oaks | 7655 | 2/28 | 3.01 | 2.65a | 8.22 | 10.38a | e e |
| ooseberry R.S. | 7800 | 2/26 | 2.72 | 2.70 | 10.06 | 10.35 | |
| looseberry Reservoir x | 8700 | 2/27 | 5.66 | 3.50 | 15.26 | 15.25 | 1 |
| imberly Mine | 8900 | 3/1 | 4.10 | 3.55 | 14.04 | 14.50 | |
| lammoth R.S. #2 x | 8600 | 2/27 | 5.73 | 3.45 | 15.47 | 15.10 | 1 |
| t. Baldy | 9500 | 2/23 | | | 13.38 | 14.95 | |
| anguitch Lake | 8200 | 2/29 | | | 7.40 | 6.10 | 1 |
| ine Creek | 8700 | 2/28 | 6.27 | | 16.04 | 18.85 | |
| hingle Mill | 6200 | 2/29 | 3.28 | | 10.52 | 11.80 | |
| debster Flat x | 9200 | 2/27 | 3.75 | | 15.69 | | |
| /idtsoe-Escalante #3 | 9500 | 2/28 | 3.96 | | 11.37 | 10.35 | 1 |
| idtsoe R.S. | 7600 | 2/28 | 1.65 | 0.80a | 5.43 | 4.26 | a 1 |
| 0 0 0 | 7075 | - / | | 0.00 | | 7.00 | |
| Beaver Canyon P.H. | 7275 | 2/29 | 2.38 | | | 7.89a | 1 |
| Big Flat | 10290 | - 2/26 | 4.85 | | 12.51 | 14.85 | |
| Merchant's Valley | 8200 | 2/26 | 3.55 | | 11.06 | | |


EAST GARFIELD, KANE, WASHINGTON AND IRON COUNTIES





LEGEND





WATERSHED LOCATION

INDEX

| NO. | STATE | NAME | SEC. | TWP. | RGE. | ELEV. |
|---|------------------|--|---------------------------------|--|-----------------------------|---|
| | | PARIA RIVER | | | | |
| 12M8 | U | Bryce Canyon x | 36 | 36\$ | 4W | 8,000 |
| | | PAROWAN CREEK | | | | |
| 12M16 12M14 12M12 12M15 12M11P | U U U U | Birch Crossing Brian Head Ed Ward Flat Tall Poles Yankee Reservoir | 23 10 17 26 & 35 20 | 35S 36S 35S 35S 35S | 9W 9W 8W 9W 8W | 8,100 10,000 8,300 8,800 8,700 |
| | | COAL CREEK | | | | |
| 12M1P 12M17 12M2M 12M10 12M3MP | U U U U | Cedar Breaks x CSU Ranch Midway Valley x Urie Flat Webster Flat x | 2 18 26 11 20 | 37 S 37 S 37 S 37 S 37 S | 9W 9W 9W 10W 9W | 10,390 8,200 9,800 8,450 9,200 |
| | ΕN | TERPRISE TO NEW HARMON | VY DRAII | NAGE | S | |
| 13M4MP 13M2MP | U U | Little Grassy Creek Long Flat | 15 2 | 38S 38S | 17W 14W | 6,100 8,000 |
| | | ESCALANTE RIVER | | | | |
| 11M1 11M2 11M3P | U U U | Widtsoe-Escalante Summit Widtsoe-Escalante #2 Widtsoe-Escalante #3 | 22 22 22 | 34S 34S 34S | 1W 1W 1W | 9,500 9,500 9,500 |
| | | VIRGIN RIVER | | | | |
| 12M1P 12M4P 12M5 12M6 12M2M 12M3MP | UUUUUU | Cedar Breaks x Duck Creek R.S. x Harris Flat x Long Valley Junction Midway Valley x Webster Flat | 2 11 24 22 26 20 | 37 \$ 38 \$ 38 \$ 38 \$ 37 \$ 37 \$ | 9W 8W 7W 6W 9W | 10,390 8,560 7,700 7,500 9,800 9,200 |

LEGEND

Numbering system (example)

| 10J7 | SNOW COURSE ONLY |
|--------|---|
| 10J7P | SNOW COURSE AND PRECIPITATION GAGE |
| 10J7M | SNOW COURSE AND SOIL MOISTURE STATION |
| 10J7A | SNOW COURSE AND AERIAL MARKER |
| 10J7MA | SNOW COURSE, SOIL MOISTURE STATION AND AERIAL MARKER |
| 10J7MP | SNOW COURSE, SOIL MOISTURE STATION AND PRECIPITATION GAGE |
| 10J7m | SOIL MOISTURE STATION ONLY |
| 10J7a | AERIAL MARKER ONLY |
| 10J7p | STORAGE PRECIPITATION GAGE ONLY |
| х | ADJACENT DRAINAGE |

EAST GARFIELD, KANE, WASHINGTON & IRON COUNTIES

| ESCALANTE RIVER | | | | | | | |
|--|--|---|--|--|---|---|--|
| Widtsoe-Escalante Smt. Widtsoe-Escalante #2 Widtsoe-Escalante #3 | 11M1 11M2 11M3 | 9500 9500 9500 | 2/28 2/28 2/28 | 33 35 44 | 9.8 9.5 12.5 | 3.9 5.2 6.5 | 6.8 9.0* 11.6* |
| PARIA RIVER | | | | | | | |
| Bryce Canyon x | 1 2M8 | 8000 | 2/28 | 27 | 7.0 | 2.8 | 4.9% |
| VIRGIN RIVER & COAL CREEK | | | | | | | |
| Cedar Breaks CSU Ranch Duck Creek R.S. Harris Flat x Long Valley Jct. Midway Valley x Urie Flat Webster Flat | 12M1 12M17 12M4 12M5 12M6 12M2 12M10 12M3 | 10390 8200 8560 7000 7500 9800 8450 9200 | 2/26 2/27 2/29 2/29 2/29 2/26 2/27 2/27 | 54 22 46 31 18 61 21 43 | 17.9 8.2 16.3 10.6 6.5 20.2 7.8 15.2 | 17.3 4.8 7.1 4.3 2.0 17.3 4.8 11.6 | 17.7* 12.8* 7.9* 4.0* 19.3* 6.4* 14.1* |
| PAROWAN CREEK | | | | | | | |
| Birch Crossing Brian Head Ed Ward Flat Tall Poles Yankee Reservoir | 12M16 12M14 12M12 12M15 12M11 | 8100 10000 8300 8800 8700 | 2/26 2/26 2/26 2/26 2/26 | 21 56 22 40 30 | 7.2 18.1 6.8 13.0 8.9 | 3.7 11.8 3.4 9.1 5.4 | 6.0* 7.7* |
| ENTERPRISE TO NEW HARMONY | ' DRAIN | IAGES | | | | | |
| Little Grassy Creek Long Flat | 1 3M4 1 3M2 | 6100 8000 | 2/29 2/28 | 10 20 | 4.9 7.4 | 0.6 2.7 | 3.1* 4.6* |

PRECIPITATION DATA (Inches)

| DDAINAGE BACIN | CURRENT INFORMATION | | | FROM APPROX. OCT. I TO DATE | | | |
|--|---------------------|--------------------|--------------------------|-----------------------------|----------------|----------------------|-----------------------|
| DRAINAGE BASIN AND RAIN GAGE LOCATION | ELEVATION | DATE OF READING | MONTH'S PRECIPITATION | 1948 - 62 AVERAGE | THIS YEAR | 1948 - 62 AVERAGE | PERCENT OF AVERAGE |
| | | | | | | | |
| ESCALANTE RIVER | | | | | | | |
| Widtsoe-Escalante #3 | 9500 | 2/28 | 3.96 | 2.15 | 11.37 | 10.35 | 110 |
| VIRGIN RIVER | | | | | | | |
| Duck Creek R. S. Webster Flat | 8560 9200 | 2/29 2/27 | 4.30 3.75 | | 16.10 15.69 | | 102 92 |
| COAL CREEK | | | | | | | |
| Cedar Breaks Webster Flat | 10390 9200 | 2/26 2/27 | 3.75 | | | 17.80 17.00 | 82 92 |
| PAROWAN CREEK | | | | | | | |
| Tall Poles Yankee Reservoir | 8800 8700 | 2/26 2/26 | 2.10 | 2.30 | | 9.65 | 86 |
| ENTERPRISE TO NEW HARMONY | DRAINAG | <u>E</u> | | | | | |
| Little Grassy Creek Long Flat | 6100 8000 | 2/29 2/28 | | | 13.08 8.94 | 9.60 11.30 | 1 36 79 |

Agencies Cooperating in Utah Snow Surveys

U.S. GOVERNMENT AGENCIES

- U.S. Department of Agriculture Soil Conservation Service Forest Service
- U.S. Department of Commerce Weather Bureau
- U.S. Department of Interior
 Bureau of Reclamation
 Geological Survey
 National Park Service

STATE AGENCIES

Utah State University
Utah Fish and Game Department
Utah State Department of Natural
Resources, Division of Water Rights
Bear River Commissioner
Price River Commissioner
Provo River Commissioner
Sevier River Commissioners
Spanish Fork River Commissioner
Utah Lake and Jordan River Commissioner

MUNICIPALITIES

Manti Salt Lake City

ORGANIZED PUBLIC AGENCIES

Beaver River Water Users Association
Board of Canal Presidents - Jordan River
Emery Canal and Reservoir Company
Moon Lake Water Users Association
Ogden River Water Users Association
Provo River Water Users Association
Strawberry Water Users Association
Sevier River Water Users Association

PRIVATE AGENCIES

Kaiser Steel Corporation

UNITED STATES DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE FEDERAL BLDG. -- ROOM 4012 SALT LAKE CITY, UTAH 84111

OFFICIAL BUSINESS

FEDERAL - STATE - PRIVATE

COOPERATIVE SNOW SURVEYS

Furnishes the basic data necessary for forecasting water supply for irrigation, domestic and municipal water supply, hydro-electric power generation, navigation, mining and industry

"The Conservation of Water begins with the Snow Survey"

POSTAGE AND FEES PAID U. S. DEPARTMENT OF AGRICULTURE

vat i Agriculturai Library Current Sariai Resord WasHington, D. C. 20250